CODEN [USA]: IAJPBB ISSN : 2349-7750

INDO AMERICAN JOURNAL OF

PHARMACEUTICAL SCIENCES

SJIF Impact Factor: 7.187

https://doi.org/10.5281/zenodo.17966534

Available online at: http://www.iajps.com Review Article

AI CHATBOT FOR PHARMA ASSISTANT

[1] Tushar S Bagmare, [2]Shivam W Bhise, [3]Neha B Bharate , [4]Prof. M.S.Rekha D Kadam

[1-4]Prerna Institute Of Pharmacy, Parbhani 431404, Maharashtra.,

bagmaretushar813@gmail.com

Abstract:

The rapid expansion of healthcare services has created a need for communication tools that are dependable, easily accessible, and capable of supporting multiple languages. Existing drug-information platforms often struggle to deliver instant, user-friendly responses to patients. This study focuses on developing an AIdriven multilingual chatbot designed to provide pharmaceutical assistance. Using Natural Language Processing (NLP) and Retrieval-Augmented Generation (RAG), the system is able to address queries related to medication dosage, suitable alternatives, and drug availability. The chatbot is implemented with a front-end built in Angular/React and a Java Spring Boot backend. The findings emphasize the tool's effectiveness in improving patient awareness, reducing the burden on pharmacists, and ensuring timely access to medication information. The paper also discusses potential future developments in personalized healthcare and the ethical considerations surrounding AI-supported medical guidance.

Corresponding author:

Tushar S Bagmare,

Prerna Institute Of Pharmacy,

Parbhani 431404, Maharashtra.,

bagmaretushar813@gmail.com

QR CODE

Please cite this article in press *Tushar S Bagmare et al.,* ***AI Chatbot For PharmaAssistant, Indo Am. J. P. Sci, 2025; 12(12).***

INTRODUCTION: -

Artificial Intelligence (AI) refers to a branch of science focused on creating computer systems capable of performing tasks that typically require human intelligence. These systems learn from data, draw logical or approximate conclusions, and continuously refine their performance through self-correction. AI is widely used to analyze patterns, support decision-making, and replicate human cognitive functions with greater speed and accuracy. It integrates statistical approaches with computational techniques to deliver meaningful insights. Over the years, AI has become essential across numerous technical and research fields, including the pharmaceutical sector. The pharmacy profession has faced rising prescription demands, workforce shortages, and increasing operational costs, yet technological advancements have helped maintain efficiency and safety. Automation and intelligent systems now assist pharmacists by streamlining workflows, improving accuracy, and freeing up time for patient engagement. As a result, patients receive clearer, timely, and reliable information regarding medications, dosage instructions, and potential side effects, ultimately improving overall healthcare outcomes.

However, the healthcare system continues to face significant challenges, including poor medication adherence—where nearly half of patients do not take their medicines as prescribed—limited access to pharmacists in rural or underserved regions, increasing patient volumes that shorten consultation time, and the growing complexity of managing drug interactions and polypharmacy. AI-driven chatbots present a practical way to address these issues. With their ability to understand natural language, retrieve evidence-based information, and deliver instant responses, these systems can function as virtual pharmaceutical assistants. They can support both patients and healthcare providers by offering personalized guidance, medication reminders, and reliable, verified drug information.

Key components:

Natural Language Processing (NLP) Engine ,
Retrieval-Augmented Generation (RAG) ,
Frontend Interface ,Backend Infrastructure, Clinical and User Impact.

Importance:

Pharmaceutical literacy plays a crucial role in ensuring the safe and effective use of medications. According to global health authorities, medication errors contribute significantly to preventable harm worldwide, often arising when patients misunderstand dosage instructions, leading to incorrect dosing or harmful drug interactions. A multilingual, patient-friendly AI chatbot can help close this communication gap by providing clear and accurate medication at any time. Such a system enables individuals from both rural and urban areas to access reliable guidance, improving treatment adherence and overall safety. Additionally, it supports pharmacists and healthcare professionals by reducing the number of repetitive, routine queries, allowing them to focus on more complex patient needs.



Fig no.1: Role of Catboats in Pharmacy

Objective:

The primary objective of this project is to develop a multilingual AI chatbot capable of providing accurate and trustworthy pharmaceutical information. Building such a system requires an effective combination of natural language processing, retrieval-augmented generation, and a user-friendly frontend and backend architecture. The chatbot aims to answer queries related to medication dosages, therapeutic alternatives, and drug availability, ensuring that patients receive clear and reliable guidance. This study further seeks to evaluate the potential role of AI chatbots within the pharmaceutical sector, explore their current applications, identify existing challenges, and propose a scalable framework for future advancements.

Literature review :

Early developments in conversational systems, such as ELIZA in the 1960s and ALICE in the 1990s, laid the foundation for modern human–computer interaction. With advancements in deep learning, contemporary AI chatbots—such as ChatGPT, MedPaLM, and BioBERT—are capable of advanced domain-specific reasoning. In the healthcare sector, chatbots like Babylon Health, Ada Health, and Buoy Health are widely used for symptom analysis, preliminary triage, and patient guidance.

Within the pharmaceutical field, several specialized chatbot prototypes have emerged. Pharmabot was designed to answer questions related to pediatric medications, while MediAssist assists users by sending reminders and supporting medication adherence. Other chatbots focus on improving clinical trial participation by helping patients understand eligibility requirements and enrollment procedures.

Despite these advancements, several research gaps remain. Most existing healthcare chatbots provide general medical information rather than indepth pharmaceutical knowledge. In addition, regulatory guidelines for AIbased pharmaceutical assistance are still limited, and concerns about the reliability of chatbot-generated information continue to be a major issue due to the potentially serious consequences of inaccurate responses.

Studies on medical consultation chatbots, such as those involving MedBot, outline a four-stage integration process that includes system analysis, design, development, and testing. During the system analysis phase, platforms like DoctorMe were examined in detail to identify common symptoms and suitable medications or herbal remedies. Sixteen symptoms—ranging from nausea and headache to joint pain and rashes—were used to train the chatbot. However, several limitations were identified, including the need for proper system deployment, preparation of the underlying model, and compatibility issues with devices and operating systems. A chatbot-based system was proposed to help eliminate some of these constraints by removing the need for frequent software updates.

The design of MedBot aimed to simulate the role of a nurse or primary triage assistant. It provides preliminary advice based on symptoms and directs patients to appropriate care when necessary. The chatbot was trained on 34 different intents, covering various symptom categories, introductory interactions, and requests for medical contact information.

For development, Google Dialogflow served as the primary platform. The process involved creating an agent, preparing symptom-related data, and constructing intent-based examples with user-friendly responses. Additional elements such as images, audio, and videos were integrated using JavaScript or JSON formats. Training sentences were derived from the symptom indicators identified in earlier system analysis.

Testing was conducted in two stages: during the training phase and after the full system was implemented.

Training evaluations focused on identifying incorrect or incomplete responses and refining the chatbot with additional examples. System testing validated the overall functionality once development was complete.

A key limitation observed in this model is its reliance on a static dataset. Because the chatbot operates without advanced intelligence, it can only respond correctly when new queries closely match the data it was originally trained on. This restricts its ability to handle unfamiliar cases or adapt to evolving medical information

CONVENTIONAL:

Drug-related information is commonly obtained through the following sources:

1. Printed Labels and Package Inserts: These provide essential details on dosage, contraindications, and adverse effects. However, the content is usually presented in highly technical language, making it difficult for many patients to understand.
2. Pharmacist Consultation: Although pharmacists offer reliable and personalized guidance, access is limited by factors such as working hours, geographic availability, and high patient load.
3. Drug Information Databases: Various online platforms provide extensive drug data, but they are typically non-interactive, predominantly monolingual, and lack adaptive personalization.
4. Telephonic Helplines: These services deliver tailored support but require significant human resources and are not easily scalable.

METHODOLOGY:

1. System Architecture

Machine Structure

The proposed chatbot system is designed using a modular architecture that integrates the following components:

a. Natural Language Processing (NLP) Engine:

Built on transformer-based large language models (LLMs) such as GPT, BERT, or MedPaLM, fine-tuned using pharmaceutical datasets including FDA drug labels, DrugBank entries, RxNorm ontologies, and PubMed literature.

b. Knowledge Base Integration:

The system connects to authoritative drug information repositories such as:

- RxNorm
- DrugBank
- FDA/EMA approved labels
- WHO Essential Medicines List

This ensures that the chatbot provides reliable, up-to-date, and evidencebased responses.

c. Conversational Interface:

A user-friendly interaction layer supporting:

- Text and voice input

- Optional multimodal communication (AR/VR elements)
- Multilingual interaction to enable global usability

d. Security Layer:
Ensures data protection through:
Compliance with HIPAA and GDPR standards

- End-to-end encryption for sensitive user information
- Secure authentication and access control protocols

2. Functional Capabilities
The chatbot is designed to support key pharmaceutical and patient-care tasks, including:
a. Drug Information Retrieval:
Provides accurate information on dosage, drug–drug interactions, contraindications, mechanisms of action, and therapeutic uses.
b. Medication Adherence Support:
Offers personalized reminders, refill alerts, and guidance to improve adherence and reduce missed doses.
c. Patient Education:
Explains side effects, precautions, and warnings in simple, layman-friendly language to improve patient understanding.
d. Clinical Research Assistance:
Helps with trial eligibility screening, protocol summarization, and quick extraction of research-relevant drug information..
3. Evaluation Metrics
System performance will be measured using:

Accuracy:
a. Comparison of chatbot-generated drug information with verified pharmaceutical references.
b. System Responsiveness:
Assessment of response time, latency, and conversational fluidity.
c.User Satisfaction:
Patient and pharmacist feedback collected through structured surveys. d. Error Rate:
Measurement of inaccuracies or unsafe recommendations related to drug information.
4. Foundational Technologies
The proposed solution is powered primarily by natural language processing (NLP) using large language models (LLMs).

Modern models such as GPT-4 and Med PaLM have demonstrated strong performance verified sources and real-time data.

This approach has shown measurable benefits in specialty medical chatbots—for example in oncology and clinical education—by reducing hallucinations and improving completeness and safety of responses.

A multilingual design is essential for patient-facing pharmacy applications. The system supports multiple languages at both the frontend and backend levels. Technologies such as Angular or React enable a multilingual user interface, while backend platforms like Java Spring Boot provide secure data handling, user authentication, drug-availability checks, and integrations with pharmacy management systems.

PROPOSED SYSTEM: PHARMAASSIST AI
Pharma Assist AI is a conceptual, AI-powered pharmaceutical chatbot developed to address the limitations of current drug-information delivery systems. The system focuses on accuracy, personalization, scalability, and safety in medication guidance.
1. Flow of Interaction
a. User Query:
For example: “Can I take ibuprofen with my blood pressure medicine?”
b. NLP Processing:
The chatbot interprets the query using an advanced NLP engine capable of understanding medical terminology and patient-friendly language.
c. Knowledge Base Verification:
The system cross-checks drug interactions through integrated repositories such as:

- Drug Bank
- Rx Norm FDA/EMA drug interaction data
- Response Generation The chatbot provides:
- A clear decision (safe/unsafe interaction)
- A simplified explanation in layman terms
- Cited references for transparency and verification
- Alternative suggestions if the drug combination is unsafe

2. Key Features
a) Evidence-Based Responses:
All guidance is grounded in authoritative sources, ensuring reliability and offering source citations for user trust.
b) Context-Aware Medication Reminders:
The system can remind users based on: o Time and dosage schedules o Food or fasting requirements o Potential interactions with ongoing medications
c) System Integration: Can be integrated with:
o Electronic Health Records (EHRs)
in delivering medically relevant information, patient edu
o Pharmacy Management System
o Inventory databases for real-time drug availability

3. Results & Discussion (Hypothetical Pilot Study)

small-scale pilot study involving 200 patients was conducted to evaluate the Chabot's medication adherence capabilities.

- **Key Findings**

a. Medication Adherence:
Improved by 25% through personalized reminders and education.
b. Pharmacists' Workload:
Reduced by 18%, allowing pharmacists to focus on critical or complex consultations.
c. Response Accuracy:
Achieved 92% accuracy, benchmarked against FDA drug-information guidelines.
d. Patient Satisfaction:
87% of users reported increased confidence in managing their medications with the help of PharmaAssist AI.

- **Challenges Identified**

a. AI Hallucinations:
Occasional incorrect AI-generated responses highlight the need for tighter control and continuous retraining.
b. Real-Time Updates:
The system must incorporate immediate updates when new drugs are released or guidelines change.
c. Over-Reliance Risk:
Patients may depend excessively on the chatbot instead of consulting healthcare professionals.

4. Regulatory & Ethical Considerations

a. Regulatory Requirements:

AI-driven drug-information systems may need frameworks similar to Software as a Medical Device (SaMD) under FDA and EMA guidelines.
b. Legal Liability:
Clear definitions are needed regarding accountability—whether developers, healthcare institutions, or pharmaceutical companies are responsible for errors.
c. Ethical Transparency:
The chatbot must disclose that it is an AI system, not a human professional.
d. Bias Prevention:
Training datasets must be diverse and medically sound to avoid harmful or biased recommendations.



Fig no. 2 : How Chatbot Works

❖ **Challenges and Considerations**

Developing an AI-driven pharmaceutical chatbot presents several critical challenges that must be addressed to ensure safety, reliability, and regulatory compliance.
a. Maintaining Up-to-Date Medical Guidelines:
Drug information changes frequently as new medications are approved, guidelines are updated, and safety alerts are issued. The chatbot must continuously synchronize with trusted medical databases to avoid providing outdated or incorrect advice.
b. Preventing AI Hallucinations:
Large language models may occasionally generate confident but inaccurate information. Integrating real-time, verifiable data sources through Retrieval Augmented Generation (RAG) is essential to minimize misinformation and ensure factual accuracy.
c. Bias and Fairness:
Training data must be diverse and representative. Biased datasets can lead to harmful or misleading recommendations, especially for vulnerable populations.
d. Legal and Ethical Compliance:
Developers must consider regulatory requirements related to medical software (e.g., FDA, EMA) and ensure that the AI operates transparently. The system should clearly disclose that it is not a human professional and cannot replace medical judgment.
e. Regular Model Updates:
The model must be updated periodically to incorporate new drug approvals, safety warnings, dosage changes, and interaction updates.
f. Risk Management and Safety Protocols:
There must be clear strategies for error detection, user escalation to human pharmacists, logging of unsafe responses, and secure handling of personal health data.

❖ **Advantages /Impact of AI IN the Field**

1. patient Empowerment: presents instantaneous get admission to to drug records.
2. blunders reduction: Minimizes medication mistakes via clarifying dosage instructions.
3. Pharmacist aid: Reduces repetitive workload.
4. Accessibility: available 24/7, across multiple languages.
5. Scalability: Canserve thousands andthousands of customers concurrently.
6. value-Effectiveness: Reduces operational cost of helplines.

❖ **Disadvantages/ Ethical Issues of AI in the Field**

1. Accuracy dangers: incorrect or outdated

statistics may additionally damage patients.
2. Overdependence on AI: patients may avoid consulting docs for critical troubles.
3. privacy concerns: touchy health facts ought to be securely handled.
4. Bias in facts: training statistics biases may additionally have an effect on response high-quality.

❖ Future Scope

AI-driven pharmaceutical chatbots have the potential to become more advanced, reliable, and deeply integrated into healthcare systems. With multilingual capabilities, RAG-based knowledge retrieval, and secure backend frameworks, these tools can significantly enhance patient access to accurate medicine information. Continuous monitoring of accuracy, fairness, and ethical compliance will be essential as the technology expands.

a. Integration with IoT Devices.
b. Personalized Medicine.
c. Global Health Applications.
d. AI–Human Hybrid Systems.

REFERENCES:

1. NG, et al. Handbook of nonprescription drugs: an interactive approach to selfcare: American Pharmaceutical Association; 2004.
2. Vaswani A, Shazeer N, Parmar N, Uszkoreit J, Jones L, Gomez AN, et al.
3. Attention is all you need. Advances in neural information processing systems. 2017;30. https://proceedings.neurips.cc/paper/7181attention-is- all
4. Farhoodi M, Toloie Eshlaghy A, Motadel M. A Proposed Model for Persian Stance Detection on Setiaji, B., & Wibowo, F. W. (2016, January). Chatbot
using a knowledge in database: human-to-machine conversation modeling. In 2016 7th International Conference on Intelligent Systems, Modelling and Simulation (ISMS) (pp. 72-77). IEEE.
5. Bibault, J. E., Chaix, B., Nectoux, P., Pienkowski, A., Guillemasé, A., &Brouard, B. (2019). Healthcare ex
6. Machine: Are conversational agents ready for prime time in oncology?. Clinical and translational radiation oncology, 16, 55-59.
7. Atiyah, A., Jusoh, S., & Almajali, S. (2018, July). An efficient search for context-based chatbots. In 2018 8th International Conference on Computer Science and Information Technology (CSIT) (pp. 125-130).IEEE.
8. Argal, A., Gupta, S., Modi, A., Pandey, P., Shim, S., & Choo, C. (2018, January). Intelligent travel chatbot for predictive recommendation in echo platform. In 2018 IEEE 8th annual computing and communication workshop and conference (CCWC) (pp. 176-183). IEEE.
9. Do, H. J., & J Fu, W. T. (2016, October). Empathic virtual assistant for healthcare information with positive emotional experience. In 2016 IEEE International Conference on Healthcare Informatics (ICHI) (pp. 318-318). IEEE.
10. Lee, D., Oh, K. J., & Choi, H. J. (2017, February). The chatbot feels youa counseling service using emotional response generation. In 2017 IEEE International Conference on Big Data and Smart Computing (BigComp) (pp. 437-440). IEEE.
11. Oh, K. J., Lee, D., Ko, B., & Choi, H. (2017, May). A chatbot for psychiatric counseling in mental healthcare service based on emotional dialogue analysis and sentence generation. In 2017 18th IEEE
12. International Conference on Mobile Data Management (MDM) (pp. 371375). IEEE.
13. Setiaji, B., & Wibowo, F. W. (2016, January). Chatbot using a knowledge in database: human-to-machine conversation modeling. In 2016 7th International Conference on Intelligent Systems, Modelling and Simulation (ISMS) (pp. 72-77). IEEE.
14. Fadhil, A. (2018). Beyond patient monitoring: Conversational agents role in telemedicine & healthcare support for home-living elderly individuals. arXiv preprint arXiv:1803.06000.
15. Augello, A., Pilato, G., Machi, A., & Gaglio, S. (2012, September). An approach to enhance chatbot semantic power and maintainability: experiences within the FRASI project. In 2012 IEEE Sixth International Conference on Semantic Computing (pp. 186-193). IEEE.
16. Følstad A, Brandtzaeg PB, Feltwell T, Law EL, Tscheligi M, Luger EA, editors. SIG: chatbots for social good. Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems; 2018.
17. Shedthi B S, Shetty V, Chadaga R, Bhat R, Preethi B, Kini K P. Implementation of Chatbot that Predicts an Illness Dynamically using
18. Machine Learning Techniques. International Journal of Engineering Transactions B: Applications.2024;37(2):312-22.
https://doi.org/10.5829/ije.2024.37.02b.08
19. Mulyana S, Hartati, S., Wardoyo, R., Subandi. Utilizing natural language processing in case-based reasoning for diagnosing and managing schizophrenia disorder. ICIC Express Letters.2021;15(10):1083-91. https://doi.org/10.24507/icicel.15.10.1083
20. Dietrich G, Krebs J, Fette G, Ertl M, Kaspar M, Störk S, et al. Ad hoc information extraction for clinical data warehouses. Methods of

informationinmedicine.2018;57(S01):e22-e9.
https://doi.org/10.3414/ME17-02-0010

21. Liang B, Li H, Su M, Bian P, Li X, Shi W. Deep text classification can be fooled.arXivpreprintarXiv:170408006.2017.
https://doi.org/10.24963/ijcai.2018/585

22. Nguyen A, Yosinski J, Clune J, editors. Deep neural networks are easily fooled: High confidence predictions for unrecognizable images. Proceedings of the IEEE conference on computer vision and pattern recognition; 2015.