

CODEN [USA]: IAJPBB ISSN: 2349-7750

INDO AMERICAN JOURNAL OF

PHARMACEUTICAL SCIENCES

SJIF Impact Factor: 7.187

https://zenodo.org/records/10046041



THE IMPACT OF WATER POLLUTION WITH MICROBES ON HUMAN HEALTH

¹Adel.M.Ashi, ²Sultan.A.Alghamdi, ³Hassan.M.Magrabi, ⁴Mohammed.S.Alzahrani, ⁵Muhanad.A.Alshmrani, ⁶Waleed.S.Alzahrani, ⁷Rafat.S.Alnemari, ⁸Naif.A.Alsiny, ⁹Abdulrahman.M.Alalyani, ¹⁰Abdulmajeed.M.Alghamdi, ¹¹Khalid.M.Althobaiti, ¹²Lina.A. Akram, ¹³Tirad.A.Felemban, ¹⁴Ehdaa.F.Alndunisi, ¹⁵Abeer.A.Alharbi, ¹⁶Makki.A.Digna, ¹⁷Abdulaziz.A.

Almuntashari

¹Laboratory specialist at the regional laboratory in Mecca

² Medical Immunology Laboratories Consultant

³Technician and Health Assistant Preventive in Al-Mansour Primary Healthcare Center

⁴Medical Microbiologist in Public Health Laboratory

⁵Laboratory specialist in the Public Health Laboratory

⁶laboratory technician in the Public Health Laboratory

⁷laboratory technician in the Public Health Laboratory

⁸Laboratory technician in the Public Health

⁹Laboratory Specialist in Public Health

¹⁰Laboratory Specialist in Public Health

¹¹Laboratory Specialist in Public Health

¹²Emergency Medical Services specialist in health crises and disasters management in Mecca region health ¹³Emergency Medical Services specialist in Executive Administration of Emergency and disasters ¹⁴Management in Mecca region health

¹⁵General medical care at the primary healthcare center in Al-Hindawiyah ¹⁶Laboratory specialist at the regional laboratory

¹⁷Laboratory Specialist medical laboratory sciences at Ibn Sina hospital in Hadda, Makkah health cluster

Abstract:

The aim of the current study is to know the types of water pollution, what are the types of microbes that grow in polluted water, and the materials or waste that cause water pollution. The questionnaire was created electronically via the Google Drive program, and then it was distributed via mobile phone on the social networking program (WhatsApp). Using e-mail for all participants to respond to the questionnaire. 800 questionnaires were distributed to all mobile groups, and 700 questionnaires were received on the researcher's e-mail.

Keywords: impact, water pollution, microbes, human health

Corresponding author:

Adel.M.Ashi,

Laboratory specialist at the regional laboratory in Mecca



Please cite this article in Adel.M.Ashi et al. The Impact Of Water Pollution With Microbes On Human Health, Indo Am. J. P. Sci, 2023; 10 (10).

INTRODUCTION:

Water pollution is any physical or chemical change in the quality of water, directly or indirectly, that negatively affects living organisms, or makes the water unsuitable for the required uses (1). Water pollution has a major impact on the life of the individual, the family, and society. Water is a vital requirement for humans and other living creatures. Water may be a major reason for ending life on Earth if it is polluted (2). Water pollution is divided into two main types. The first is natural pollution, which appears in a change in water temperature, an increase in its salinity, or an increase in suspended materials. The other type is chemical pollution, and its forms are numerous, such as wastewater pollution, oil spills, and agricultural waste pollution such as pesticides and agricultural fertilizers. Water pollution takes different forms and has different repercussions, and thus there are many concepts of water pollution. It can be defined as causing damage or corruption to the quality of water, leading to a disruption in its ecosystem, which reduces its ability to perform its natural role and makes it harmful when used, or causes it to lose much of its economic value, especially with regard to its fish resources and other aquatic organisms (3). Water pollution is also known as the desecration of rivers, oceans, and lakes, in addition to rainwater, wells, and groundwater, making their water untreated and unusable, whether for humans, animals, plants, or other aquatic organisms (4).

Water is considered a vital element within the ecosystem, and it represents an essential link in food chains. However, this component, despite its abundance, suffers from pollution pressures coming from several sources, most notably industrial, domestic, and agricultural wastes, and wastewater treatment in rural areas often poses a problem. Large, because this water coming from rural communities requires integrated treatment and monitoring so that it can be regularly discharged into the marine and coastal environment without tangible environmental damage. Wastewater contains a large and diverse group of microorganisms, some of which cause several serious diseases to humans, animals, and plants, while most of them are harmless, they can be beneficial and serve as an important and effective tool for water purification (5,6), According to the World Health Organization, water-borne diseases, such as cholera, typhoid, and hepatitis, are responsible for about two million deaths annually in some rural areas of Third World countries, the majority of them among children under the age of five. Accordingly, biological and physico-chemical treatment is considered to improve the health quality of water. Sanitation is extremely important in these

places. In Mediterranean countries, the percentage of the population enjoying the municipal sewage system is high, while many villages are still not equipped with sewage treatment plants, as the cost of installing them increases significantly as the population density increases (7). Discharging a large amount of treated or untreated wastewater into marine environments, especially coastal environments, on the one hand. Water-borne diseases are diseases that are transmitted to humans or animals through water, which usually contain percentage of disease-causing microorganisms. The latter is transmitted directly when fresh water is contaminated and a person or organism, in general, uses it for drinking or bathing. It also causes the same diseases when it is used in preparing food (8)(9)(10). According to the World Health Organization, 1.4% of people who have or are suffering from diarrhea are caused by contaminated water. According to the same organization, polluted water (especially groundwater) causes the death of 1.8 million people every year. It is estimated that 88% of these problems are due to the mixing of wastewater with pure or fresh groundwater, leading to its contamination and the presence of organisms that may cause serious diseases. Contaminated water contains microorganisms such as protozoa, viruses, and bacteria, many of which are pathogenic intestinal parasites. Before the emergence of the germ theory of disease or the understanding of the nature of water as a means of transmitting diseases, traditional beliefs cautioned against the use of contaminated water and favored the use of other beverages such as wine, beer, and tea. In the camel caravans that crossed Central Asia along the Silk Road, explorer Owen Lattimore wrote: "The reason we drink so much tea is because of bad water. We do not drink unboiled water." There was even a belief that polluted water caused ulcers in the feet. Waterborne diseases have a significant impact on the economy locally and internationally. People infected with waterborne diseases usually incur significant costs for treatment, especially in less developed countries. Financial losses are costs of medical treatment and medications, transportation costs, special food, and loss of manpower. Many families may even have to sell their land to pay for treatment in a suitable hospital. On average, a family spends about 10% of its monthly household income to treat an infected person (11).

2-MATERIAL AND METHODS:


The study started in (the holy city of Mecca in Saudi Arabia), began writing the research and then recording the questionnaire in January 2023, and the study ended with data collection in May 2023. The researcher used the descriptive analytical approach that uses a

quantitative or qualitative description of the social phenomenon (The impact of water pollution with microbes on human health). This kind of study is characterized by analysis, reason, objectivity, and reality, as it is concerned with individuals and societies, as it studies the variables and their effects on the health of the individual, society, and consumer, the spread of diseases and their relationship to demographic variables such as age, gender, nationality, and marital status. Status, occupation (12), And use the Excel 2010 Office suite histogram to arrange the results using: Frequency tables Percentages (13). A questionnaire is a remarkable and helpful tool for collecting a huge amount of data, however, researchers were not able to personally interview participants on the online survey, due to social distancing regulations at the time to prevent infection between participants and researchers and vice versa (not coronavirus participation completely disappearing from society). He only answered the questionnaire electronically, because the questionnaire consisted of thirteen questions, all of which were closed. The online approach has also been used to generate valid samples in similar studies in Saudi Arabia and elsewhere (14)

3- RESULTS:

The percentage of participants responding to the research questionnaire was 100%. Regarding the age of the research participants, we find the following: from the ages of 25-34 years, their percentage was 28.4%, from the ages of 35-44 years, their percentage was 51.6%, and from the ages of 45-54 years, their percentage was 13.7%, from 55-60 years old, and their percentage was 6.3%. Regarding the gender of the research participants: Saudis, their percentage was 64.2%, and non-Saudis, their percentage was 3.2%. As

for their educational status, the percentage of holders of a high school diploma was 21.9%, holders of a university degree were 51%, holders of a master's degree were 27.1%, and holders of a doctorate were 0%.Regarding the first question: Do you feel that water pollution is the primary cause of the spread of serious diseases? The answer was as follows: Yes 90.5%, No 9.5%. As for the second question: Are diarrhea, cholera, hepatitis, and typhoid among the causes of water pollution? The answer was yes 97.9%, no 2.1%. The third question: Does the use of pesticides and chemical fertilizers cause water pollution? Yes 91.7%, No 8.3%. The fourth question: Does microbial contamination of water cause the spread of salmonella and hepatitis in a number of countries around the world? Participants answered yes 92.7%, no 7.3%. The fifth question: Can water pollution with chemicals be dangerous to the environment and human health? All responses were 100% yes. The sixth question: Do sewage, agricultural fertilizers, and factory waste cause water pollution? The answer was yes 97.9%, no 201%. As for the seventh question: Is pollution with petroleum materials a danger to water and human health? Yes 98.9%, No 1.1%. The eighth question was about: Is discharging waste into water stations a cause of water pollution? The answer was yes by 95.8%, and no by 4.2%. Question 9: Is the use of anti-pollution devices in factories a solution to water pollution? Yes 94.7%, No 5.3%. The tenth question was about: Does reducing the use of pesticides, chemicals, and throwing waste contribute to reducing water pollution? The answer was yes 95.8%, no 4.2%. The eleventh question: Is stagnant water considered a source of water pollution? The answers were as follows: 97.7%, no 2.3%. As for the last question: Is rust in water one of the causes of water pollution? The answers were ves by 96.8%, no by 3.2%. (figure No.1).



4-DISCUSSION:

We found from this study that, Water pollution with chemicals is dangerous to the environment and causes water pollution at a very large rate, according to the opinion of the participants in the research questionnaire (100%). Wastewater, agricultural

fertilizers, and factory waste also lead to water pollution at a very large rate (97.9%). Pollution with petroleum materials causes water pollution at a rate of 98.9%, due to the presence of microbes present in petroleum, and waste also leads to water pollution at a rate of 95.8%, and pesticides and throwing waste in water also leads to water pollution at a rate of 95.8%, all of these materials. The former leads to water pollution, so I advise against throwing these aforementioned materials into the water. We want to contribute to the state, and may God protect it, by reducing water pollution, so that we and our children can create a suitable environment free of all types of pollution, especially water.

Acknowledgment:

To start with, I would like to Praise God and thank Dr. Anas S. Dablool, from Umm Al-Qura University (Public Health Department, Faculty of Health Sciences Al-leeth), Mecca, Saudi Arabia. And the researchers who make the project come to light.

REFERENCES:

- 1- Magda Al-Sabbagh (January 14, 2009). "What is water pollution?" Location of Sahnaya town. Archived from the original on 04/12/2011. Viewed on 03-13-2020. {{web citation}}: The unknown medium |month= was ignored (help)
- 2- Water Pollution (1) Al-Muqatil Encyclopedia. Archived copy dated July 5, 2017, on the Wayback Machine website.
- 3- Fathi Muhammad Moselhi, Health and Medical Geography, Dar Al Majid for Publishing and Distribution, Cairo, 2008, p. 103.
- 4- Muhammad Abdel Qader Al-Feki, The Environment: Its Problems, Issues, and Protection from Pollution, Egyptian General Book Authority, Cairo, 2006, p. 58.
- 5- Cyprowski M, Szarapińska Kwaszewska J,Dudkiewicz B, Krajewski JA, Szadkowska-Stańczyk I. Exposure assessment to harmful agents in workplaces in sewage plant workers. Medicinal process.2005;56(3):213-222
- 6- Cyprowski M, Stobnicka- Kupiec A, Lawniczek-Walczyk A, Bakal-Kijek A, Gołofit-Szymczak M,

- Gorny RL. Anaerobic. bacteria in wastewater treatment plant, International Archives of Occupational and Environmental health 2018;91(5):571–:579.http: doi.org/10.1007/s00420-018-1307-6
- 7- World Health Organization. A regional overview of wastewater management and reuse in the Eastern Mediterranean region; 2005(on WHO-EM/CEH/139/E).
- 8- Petrini, B. (October 2006). "Mycobacterium marinum: ubiquitous agent of waterborne granulomatous skin infections". Eur J Clin Microbiol Infect Dis. C. 25 p. 10: 609–13. DOI:10.1007/s10096-006-0201-4. PMID:17047903. Archived from the original on April 14, 2020. Accessed August 2020
- 9- Nwachuku N, Gerba CP, Oswald A, Mashadi FD (September 2005). "Comparative inactivation of Adenovirus serotypes by UV light disinfection" (PDF). Apple Environ Microbiol. C. 71 p. 9:5633–6. DOI:10.1128/AEM.71.9.5633-5636.2005. PMC:1214670. PMID:16151167. Archived from the original (PDF) on 09-22-2011.
- 10- Burden of disease and cost-effectiveness estimates". Global Health Organization. Archived from the original on 02-13-2014. Viewed on 04/05/2014.
- 11- Schnabel, Bastian. "Drastic consequences of diarrhea disease". Archived from the original on -2904-2018
- 12- Alserahy, Hassan Awad, et al (2008), The thinking and scientific research, Scientific Publishing Center, King Abdul-Aziz University in Jeddah, the first edition
- 13- Al Zoghbi, Muhammad and AlTalvah, Abas (2000), Statistical system understanding and analysis of statistical data, first edition, Jordon-Amman
- 14- Kadasah, N.A.; Chirwa, G.C.; et al. Knowledge, Attitude, and Practice Toward COVID-19 Among the Public in the Kingdom of Saudi Arabia: A Cross-Sectional Study. Front. Public Health 2020, 8, 217.